Age at Diagnosis * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Age at	13-19	Count		1	1
Diagnosis		% within Sex		9.1%	3.2%
	20-24	Count	2	3	5
		% within Sex	10.0%	27.3%	16.1%
	25-29	Count	1	2	3
		% within Sex	5.0%	18.2%	9.7%
	30-39	Count	7	2	9
		% within Sex	35.0%	18.2%	29.0%
	40-49	Count	8	3	11
		% within Sex	40.0%	27.3%	35.5%
	50-59	Count	1		1
		% within Sex	5.0%		3.2%
	60-69	Count	1		1
		% within Sex	5.0%		3.2%
Total		Count	20	11	31
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	9	4	13
		% within Sex	45.0%	36.4%	41.9%
	African American	Count	1	1	2
		% within Sex	5.0%	9.1%	6.5%
	Hispanic	Count	10	6	16
		% within Sex	50.0%	54.5%	51.6%
Total		Count	20	11	31
		% within Sex	100.0%	100.0%	100.0%

HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	10		10
Exposure		% within Sex	50.0%		32.3%
	IDU	Count	4	1	5
		% within Sex	20.0%	9.1%	16.1%
	M-M & IDU	Count	2		2
		% within Sex	10.0%		6.5%
	Heterosexual Contact	Count	1	7	8
		% within Sex	5.0%	63.6%	25.8%
	Not Classified	Count	3	3	6
		% within Sex	15.0%	27.3%	19.4%
Total		Count	20	11	31
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	13	13
		% within Adult-Ped	41.9%	41.9%
	African American	Count	2	2
		% within Adult-Ped	6.5%	6.5%
	Hispanic	Count	16	16
		% within Adult-Ped	51.6%	51.6%
Total		Count	31	31
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Sex	Male	Count	20	20
		% within Adult-Ped	64.5%	64.5%
	Female	Count	11	11
		% within Adult-Ped	35.5%	35.5%
Total		Count	31	31
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulationa

			Se	ЭX	
			Male	Female	Total
Age at	20-24	Count	2	2	4
Diagnosis		% within Sex	6.9%	22.2%	10.5%
	25-29	Count	2	2	4
		% within Sex	6.9%	22.2%	10.5%
	30-39	Count	8	2	10
		% within Sex	27.6%	22.2%	26.3%
	40-49	Count	14	2	16
		% within Sex	48.3%	22.2%	42.1%
	50-59	Count	2	1	3
		% within Sex	6.9%	11.1%	7.9%
	60-69	Count	1		1
		% within Sex	3.4%		2.6%
Total		Count	29	9	38
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

				Sex		
			Male	Female	Total	
Race-Ethnicity	White Non-Hispanic	Count	15	5	20	
		% within Sex	51.7%	55.6%	52.6%	
	African American	Count	5	2	7	
		% within Sex	17.2%	22.2%	18.4%	
	Hispanic	Count	8	2	10	
		% within Sex	27.6%	22.2%	26.3%	
	Asian-Pacific Islander	Count	1		1	
		% within Sex	3.4%		2.6%	
Total		Count	29	9	38	
		% within Sex	100.0%	100.0%	100.0%	

HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	8		8
Exposure		% within Sex	27.6%		21.1%
	IDU	Count	8	2	10
		% within Sex	27.6%	22.2%	26.3%
	M-M & IDU	Count	2		2
		% within Sex	6.9%		5.3%
	Heterosexual Contact	Count	1	5	6
		% within Sex	3.4%	55.6%	15.8%
	Not Classified	Count	10	2	12
		% within Sex	34.5%	22.2%	31.6%
Total		Count	29	9	38
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	20	20
		% within Adult-Ped	52.6%	52.6%
	African American	Count	7	7
		% within Adult-Ped	18.4%	18.4%
	Hispanic	Count	10	10
		% within Adult-Ped	26.3%	26.3%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	2.6%	2.6%
Total		Count	38	38
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	29	29
		% within Adult-Ped	76.3%	76.3%
	Female	Count	9	9
		% within Adult-Ped	23.7%	23.7%
Total		Count	38	38
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1		1
Diagnosis		% within Sex	1.1%		.8%
	5-12	Count	1		1
		% within Sex	1.1%		.8%
	13-19	Count	1	2	3
		% within Sex	1.1%	5.7%	2.4%
	20-24	Count	7	6	13
		% within Sex	7.9%	17.1%	10.5%
	25-29	Count	12	8	20
		% within Sex	13.5%	22.9%	16.1%
	30-39	Count	30	10	40
		% within Sex	33.7%	28.6%	32.3%
	40-49	Count	31	7	38
		% within Sex	34.8%	20.0%	30.6%
	50-59	Count	3	1	4
		% within Sex	3.4%	2.9%	3.2%
	60-69	Count	3	1	4
		% within Sex	3.4%	2.9%	3.2%
Total		Count	89	35	124
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	45	16	61
		% within Sex	50.6%	45.7%	49.2%
	African American	Count	9	6	15
		% within Sex	10.1%	17.1%	12.1%
	Hispanic	Count	32	13	45
		% within Sex	36.0%	37.1%	36.3%
	Asian-Pacific Islander	Count	2		2
		% within Sex	2.2%		1.6%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.1%		.8%
Total		Count	89	35	124
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	38		38
Exposure		% within Sex	42.7%		30.6%
	IDU	Count	14	6	20
		% within Sex	15.7%	17.1%	16.1%
	M-M & IDU	Count	7		7
		% within Sex	7.9%		5.6%
	Heterosexual Contact	Count	2	19	21
		% within Sex	2.2%	54.3%	16.9%
	Not Classified	Count	26	10	36
		% within Sex	29.2%	28.6%	29.0%
	Ped Parent at Risk	Count	2		2
		% within Sex	2.2%		1.6%
Total	<u> </u>	Count	89	35	124
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	59	61
		% within Adult-Ped	100.0%	48.4%	49.2%
	African American	Count		15	15
		% within Adult-Ped		12.3%	12.1%
	Hispanic	Count		45	45
		% within Adult-Ped		36.9%	36.3%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		1.6%	1.6%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.8%	.8%
Total		Count	2	122	124
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	87	89
		% within Adult-Ped	100.0%	71.3%	71.8%
	Female	Count		35	35
		% within Adult-Ped		28.7%	28.2%
Total		Count	2	122	124
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	1 (12-23 mo)	Count	1		1
Diagnosis		% within Sex	1.2%		.8%
	5-12	Count	1		1
		% within Sex	1.2%		.8%
	13-19	Count	1	2	3
		% within Sex	1.2%	5.7%	2.5%
	20-24	Count	7	6	13
		% within Sex	8.3%	17.1%	10.9%
	25-29	Count	12	8	20
		% within Sex	14.3%	22.9%	16.8%
	30-39	Count	28	10	38
		% within Sex	33.3%	28.6%	31.9%
	40-49	Count	28	7	35
		% within Sex	33.3%	20.0%	29.4%
	50-59	Count	3	1	4
		% within Sex	3.6%	2.9%	3.4%
	60-69	Count	3	1	4
		% within Sex	3.6%	2.9%	3.4%
Total		Count	84	35	119
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	∋x	
			Male	Female	Total
Current	5-12	Count	1		1
Age		% within Sex	1.2%		.8%
	13-19	Count	1	1	2
		% within Sex	1.2%	2.9%	1.7%
	20-24	Count	4	6	10
		% within Sex	4.8%	17.1%	8.4%
	25-29	Count	8	3	11
		% within Sex	9.5%	8.6%	9.2%
	30-39	Count	29	12	41
		% within Sex	34.5%	34.3%	34.5%
	40-49	Count	29	11	40
		% within Sex	34.5%	31.4%	33.6%
	50-59	Count	9	1	10
		% within Sex	10.7%	2.9%	8.4%
	60-69	Count	3	1	4
		% within Sex	3.6%	2.9%	3.4%
Total		Count	84	35	119
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	42	16	58
		% within Sex	50.0%	45.7%	48.7%
	African American	Count	9	6	15
		% within Sex	10.7%	17.1%	12.6%
	Hispanic	Count	30	13	43
		% within Sex	35.7%	37.1%	36.1%
	Asian-Pacific Islander	Count	2		2
		% within Sex	2.4%		1.7%
	Am Indian-Alaskan	Count	1		1
		% within Sex	1.2%		.8%
Total		Count	84	35	119
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	35		35
Exposure		% within Sex	41.7%		29.4%
	IDU	Count	14	6	20
		% within Sex	16.7%	17.1%	16.8%
	M-M & IDU	Count	7		7
		% within Sex	8.3%		5.9%
	Heterosexual Contact	Count	2	19	21
		% within Sex	2.4%	54.3%	17.6%
	Not Classified	Count	24	10	34
		% within Sex	28.6%	28.6%	28.6%
	Ped Parent at Risk	Count	2		2
		% within Sex	2.4%		1.7%
Total		Count	84	35	119
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	56	58
		% within Adult-Ped	100.0%	47.9%	48.7%
	African American	Count		15	15
		% within Adult-Ped		12.8%	12.6%
	Hispanic	Count		43	43
		% within Adult-Ped		36.8%	36.1%
	Asian-Pacific Islander	Count		2	2
		% within Adult-Ped		1.7%	1.7%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.9%	.8%
Total		Count	2	117	119
		% within Adult-Ped	100.0%	100.0%	100.0%

Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	2	82	84
		% within Adult-Ped	100.0%	70.1%	70.6%
	Female	Count		35	35
		% within Adult-Ped		29.9%	29.4%
Total		Count	2	117	119
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulationa

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	2		2
Diagnosis		% within Sex	10.0%		8.7%
	30-39	Count	12		12
		% within Sex	60.0%		52.2%
	40-49	Count	5	2	7
		% within Sex	25.0%	66.7%	30.4%
	50-59	Count	1	1	2
		% within Sex	5.0%	33.3%	8.7%
Total		Count	20	3	23
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	9		9
		% within Sex	45.0%		39.1%
	African American	Count	4	1	5
		% within Sex	20.0%	33.3%	21.7%
	Hispanic	Count	6	2	8
		% within Sex	30.0%	66.7%	34.8%
	Asian-Pacific Islander	Count	1		1
		% within Sex	5.0%		4.3%
Total		Count	20	3	23
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	11		11
Exposure		% within Sex	55.0%		47.8%
	IDU	Count	2		2
		% within Sex	10.0%		8.7%
	M-M & IDU	Count	2		2
		% within Sex	10.0%		8.7%
	Heterosexual Contact	Count		3	3
		% within Sex		100.0%	13.0%
	Not Classified	Count	5		5
		% within Sex	25.0%		21.7%
Total		Count	20	3	23
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	9	9
		% within Adult-Ped	39.1%	39.1%
	African American	Count	5	5
		% within Adult-Ped	21.7%	21.7%
	Hispanic	Count	8	8
		% within Adult-Ped	34.8%	34.8%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	4.3%	4.3%
Total		Count	23	23
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	20	20
		% within Adult-Ped	87.0%	87.0%
	Female	Count	3	3
		% within Adult-Ped	13.0%	13.0%
Total		Count	23	23
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	20-24	Count	1		1
Diagnosis		% within Sex	4.2%		3.3%
	25-29	Count	2		2
		% within Sex	8.3%		6.7%
	30-39	Count	8	2	10
		% within Sex	33.3%	33.3%	33.3%
	40-49	Count	5	3	8
		% within Sex	20.8%	50.0%	26.7%
	50-59	Count	7	1	8
		% within Sex	29.2%	16.7%	26.7%
	60-69	Count	1		1
		% within Sex	4.2%		3.3%
Total		Count	24	6	30
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	9	2	11
		% within Sex	37.5%	33.3%	36.7%
	African American	Count	4	4	8
		% within Sex	16.7%	66.7%	26.7%
	Hispanic	Count	11		11
		% within Sex	45.8%		36.7%
Total		Count	24	6	30
		% within Sex	100.0%	100.0%	100.0%

AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	8		8
Exposure		% within Sex	33.3%		26.7%
	IDU	Count	5	1	6
		% within Sex	20.8%	16.7%	20.0%
	M-M & IDU	Count	2		2
		% within Sex	8.3%		6.7%
	Heterosexual Contact	Count	2	1	3
		% within Sex	8.3%	16.7%	10.0%
	Not Classified	Count	7	4	11
		% within Sex	29.2%	66.7%	36.7%
Total		Count	24	6	30
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol escent	Total
Race-Ethnicity	White Non-Hispanic	Count	11	11
		% within Adult-Ped	36.7%	36.7%
	African American	Count	8	8
		% within Adult-Ped	26.7%	26.7%
	Hispanic	Count	11	11
		% within Adult-Ped	36.7%	36.7%
Total		Count	30	30
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Sex * Adult-Ped Crosstabulation^a

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	24	24
		% within Adult-Ped	80.0%	80.0%
	Female	Count	6	6
		% within Adult-Ped	20.0%	20.0%
Total		Count	30	30
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		1.5%	.2%
	5-12	Count	4		4
		% within Sex	.9%		.8%
	13-19	Count	6		6
		% within Sex	1.3%		1.1%
	20-24	Count	22	4	26
		% within Sex	4.8%	6.0%	4.9%
	25-29	Count	73	9	82
		% within Sex	15.9%	13.4%	15.6%
	30-39	Count	214	28	242
		% within Sex	46.5%	41.8%	45.9%
	40-49	Count	103	18	121
		% within Sex	22.4%	26.9%	23.0%
	50-59	Count	26	7	33
		% within Sex	5.7%	10.4%	6.3%
	60-69	Count	10		10
		% within Sex	2.2%		1.9%
	70+	Count	2		2
		% within Sex	.4%		.4%
Total		Count	460	67	527
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	266	25	291
		% within Sex	57.8%	37.3%	55.2%
	African American	Count	61	18	79
		% within Sex	13.3%	26.9%	15.0%
	Hispanic	Count	132	24	156
		% within Sex	28.7%	35.8%	29.6%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.2%		.2%
Total		Count	460	67	527
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	230		230
Exposure		% within Sex	50.0%		43.6%
	IDU	Count	62	17	79
		% within Sex	13.5%	25.4%	15.0%
	M-M & IDU	Count	75		75
		% within Sex	16.3%		14.2%
	Hemophiliac	Count	8		8
		% within Sex	1.7%		1.5%
	Heterosexual Contact	Count	9	24	33
		% within Sex	2.0%	35.8%	6.3%
	Transfusion	Count	11	8	19
		% within Sex	2.4%	11.9%	3.6%
	Not Classified	Count	61	17	78
		% within Sex	13.3%	25.4%	14.8%
	Ped Hemophiliac	Count	2		2
		% within Sex	.4%		.4%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.4%	1.5%	.6%
Total		Count	460	67	527
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	289	291
		% within Adult-Ped	40.0%	55.4%	55.2%
	African American	Count		79	79
		% within Adult-Ped		15.1%	15.0%
	Hispanic	Count	3	153	156
		% within Adult-Ped	60.0%	29.3%	29.6%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.2%	.2%
Total		Count	5	522	527
		% within Adult-Ped	100.0%	100.0%	100.0%

Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	4	456	460
		% within Adult-Ped	80.0%	87.4%	87.3%
	Female	Count	1	66	67
		% within Adult-Ped	20.0%	12.6%	12.7%
Total		Count	5	522	527
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		3.0%	.4%
	5-12	Count	1		1
		% within Sex	.5%		.4%
	13-19	Count	4		4
		% within Sex	2.0%		1.7%
	20-24	Count	7	2	9
		% within Sex	3.5%	6.1%	3.9%
	25-29	Count	30	5	35
		% within Sex	15.2%	15.2%	15.2%
	30-39	Count	94	16	110
		% within Sex	47.5%	48.5%	47.6%
	40-49	Count	46	5	51
		% within Sex	23.2%	15.2%	22.1%
	50-59	Count	14	4	18
		% within Sex	7.1%	12.1%	7.8%
	60-69	Count	1		1
		% within Sex	.5%		.4%
	70+	Count	1		1
		% within Sex	.5%		.4%
Total		Count	198	33	231
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age * Sex Crosstabulation^a

			Se	ЭX	
			Male	Female	Total
Current	5-12	Count		1	1
Age		% within Sex		3.0%	.4%
	20-24	Count	1	1	2
		% within Sex	.5%	3.0%	.9%
	25-29	Count	7		7
		% within Sex	3.5%		3.0%
	30-39	Count	69	12	81
		% within Sex	34.8%	36.4%	35.1%
	40-49	Count	87	12	99
		% within Sex	43.9%	36.4%	42.9%
	50-59	Count	27	6	33
		% within Sex	13.6%	18.2%	14.3%
	60-69	Count	6	1	7
		% within Sex	3.0%	3.0%	3.0%
	70+	Count	1		1
		% within Sex	.5%		.4%
Total		Count	198	33	231
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	102	12	114
		% within Sex	51.5%	36.4%	49.4%
	African American	Count	30	10	40
		% within Sex	15.2%	30.3%	17.3%
	Hispanic	Count	65	11	76
		% within Sex	32.8%	33.3%	32.9%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.5%		.4%
Total		Count	198	33	231
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	95		95
Exposure		% within Sex	48.0%		41.1%
	IDU	Count	28	9	37
		% within Sex	14.1%	27.3%	16.0%
	M-M & IDU	Count	29		29
		% within Sex	14.6%		12.6%
	Hemophiliac	Count	2		2
		% within Sex	1.0%		.9%
	Heterosexual Contact	Count	8	12	20
		% within Sex	4.0%	36.4%	8.7%
	Transfusion	Count	3	1	4
		% within Sex	1.5%	3.0%	1.7%
	Not Classified	Count	32	10	42
		% within Sex	16.2%	30.3%	18.2%
	Ped Hemophiliac	Count	1		1
		% within Sex	.5%		.4%
	Ped Parent at Risk	Count		1	1
		% within Sex		3.0%	.4%
Total		Count	198	33	231
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	113	114
		% within Adult-Ped	50.0%	49.3%	49.4%
	African American	Count		40	40
		% within Adult-Ped		17.5%	17.3%
	Hispanic	Count	1	75	76
		% within Adult-Ped	50.0%	32.8%	32.9%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.4%	.4%
Total		Count	2	229	231
		% within Adult-Ped	100.0%	100.0%	100.0%

Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex * Adult-Ped Crosstabulation^a

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	1	197	198
		% within Adult-Ped	50.0%	86.0%	85.7%
	Female	Count	1	32	33
		% within Adult-Ped	50.0%	14.0%	14.3%
Total		Count	2	229	231
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Age at Diagnosis * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		1.5%	.3%
	1 (12-23 mo)	Count	1		1
		% within Sex	.4%		.3%
	5-12	Count	2		2
		% within Sex	.7%		.6%
	13-19	Count	5	2	7
		% within Sex	1.8%	2.9%	2.0%
	20-24	Count	14	8	22
		% within Sex	5.0%	11.8%	6.3%
	25-29	Count	42	13	55
		% within Sex	14.9%	19.1%	15.7%
	30-39	Count	122	26	148
		% within Sex	43.3%	38.2%	42.3%
	40-49	Count	74	12	86
		% within Sex	26.2%	17.6%	24.6%
	50-59	Count	17	5	22
		% within Sex	6.0%	7.4%	6.3%
	60-69	Count	4	1	5
		% within Sex	1.4%	1.5%	1.4%
	70+	Count	1		1
		% within Sex	.4%		.3%
Total		Count	282	68	350
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Current Age * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Current	5-12	Count	1	1	2
Age		% within Sex	.4%	1.5%	.6%
	13-19	Count	1	1	2
		% within Sex	.4%	1.5%	.6%
	20-24	Count	5	7	12
		% within Sex	1.8%	10.3%	3.4%
	25-29	Count	15	3	18
		% within Sex	5.3%	4.4%	5.1%
	30-39	Count	98	24	122
		% within Sex	34.8%	35.3%	34.9%
	40-49	Count	116	23	139
		% within Sex	41.1%	33.8%	39.7%
	50-59	Count	36	7	43
		% within Sex	12.8%	10.3%	12.3%
	60-69	Count	9	2	11
		% within Sex	3.2%	2.9%	3.1%
	70+	Count	1		1
		% within Sex	.4%		.3%
Total		Count	282	68	350
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Sex Crosstabulation^a

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	144	28	172
		% within Sex	51.1%	41.2%	49.1%
	African American	Count	39	16	55
		% within Sex	13.8%	23.5%	15.7%
	Hispanic	Count	95	24	119
		% within Sex	33.7%	35.3%	34.0%
	Asian-Pacific Islander	Count	3		3
		% within Sex	1.1%		.9%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.4%		.3%
Total		Count	282	68	350
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Mode of Exposure * Sex Crosstabulation^a

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	130		130
Exposure		% within Sex	46.1%		37.1%
	IDU	Count	42	15	57
		% within Sex	14.9%	22.1%	16.3%
	M-M & IDU	Count	36		36
		% within Sex	12.8%		10.3%
	Hemophiliac	Count	2		2
		% within Sex	.7%		.6%
	Heterosexual Contact	Count	10	31	41
		% within Sex	3.5%	45.6%	11.7%
	Transfusion	Count	3	1	4
		% within Sex	1.1%	1.5%	1.1%
	Not Classified	Count	56	20	76
		% within Sex	19.9%	29.4%	21.7%
	Ped Hemophiliac	Count	1		1
		% within Sex	.4%		.3%
	Ped Parent at Risk	Count	2	1	3
		% within Sex	.7%	1.5%	.9%
Total		Count	282	68	350
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 9

Race-Ethnicity * Adult-Ped Crosstabulation^a

			Adult-Ped		
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	169	172
		% within Adult-Ped	75.0%	48.8%	49.1%
	African American	Count		55	55
		% within Adult-Ped		15.9%	15.7%
	Hispanic	Count	1	118	119
		% within Adult-Ped	25.0%	34.1%	34.0%
	Asian-Pacific Islander	Count		3	3
		% within Adult-Ped		.9%	.9%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
Total		Count	4	346	350
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9

Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

Sex * Adult-Ped Crosstabulation^a

			Adult	t-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	3	279	282
		% within Adult-Ped	75.0%	80.6%	80.6%
	Female	Count	1	67	68
		% within Adult-Ped	25.0%	19.4%	19.4%
Total		Count	4	346	350
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 9